SAFETY DATA SHEET

 Product:
 509-1, 509-2, 509-3

 Revision Date:
 9/01/2022

1. MATERIAL IDENTIFICATION

Product Name:

Crystalbond 509-1, 509-2, 509-3

Product Description: Product Use:

Manufacturer:

Telephone:

Emergency Phone:

Temporary Mounting Adhesive Aremco Products, Inc. 707-B Executive Blvd. Valley Cottage, NY 10989

Transparent Solid, Odorless @ Room Temperature, Resin Odor When Heated

845-268-0039 845-268-0039 or Infotrac (24/7) 800-535-5053

2. HAZARDS IDENTIFICATION

GHS Classification: Acute Toxicity, Oral Skin Irritant Eye Damage

Category 5 Category 2 Category 2B

GHS Label Elements:

GHS Signal Word: Warning

GHS Hazard Determining Component:

Ethylene Glycol – Phthalic Anhydride Polymer

GHS Hazard Statements for Health Hazards:

H303	May be harmful if swallowed
H315	Causes skin irritation
H320	Causes eye irritation

GHS Precautionary Statements - Prevention:

P261	Avoid breathing dust, fume, gas, mist, vapors, spray
P264	Wash skin thoroughly after handling
P280	Wear protective gloves
P281	Use personal protective equipment as required

GHS Precautionary Statements - Response:

P302+P352	IF ON SKIN wash with plenty of soap and water
P332+P313	If skin irritation occurs, get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P305+P351+P338	IF IN EYES rinse cautiously with water for several minutes; remove contact lenses
P337+P313	If eye irritation persists, get medical attention/advice

GHS Storage/Disposal: None

Distributor: SPI Supplies / Structure Probe Inc. 206 Garfield Avenue West Chester, PA 19380 Phone: 610-436-5400; 1-800-242-4774 Fax: 610-436-5755 Email: sales@2spi.com SPI Catalog #s: 05110DA-AB, 05110DA-AF, 05110LA-AB, 05110LA-AF

1

3. COMPOSITION

Chemical Name	CAS No.	EC No.	Concentration	GHS Product Identifier
				H303 Acute Toxicity, Oral, Cat 5
Phthalic Anhydride 85	85-44-9	85-44-9 201-607-5	60.0-90.0%	H315 Skin Corrosion/Irritation, Cat 2
				H320 Eye Damage/Irritation, Cat 2B
Ethylong Chycal	107-21-1	203-473-3	10.0-40.0%	H302 Acute Toxicity, Oral, Cat 4
Ethylene Glycol	107-21-1	107-21-1 203-473-3	10.0-40.0%	H373 STOT RE, Respiratory, Cat 2

Note: This composition is a polymerized solid mixture.

4. FIRST AID MEASURES

Eye Exposure:

Hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. Seek immediate medical attention, preferably with an ophthalmologist. If a physician is not immediately available, eye irrigation should be continued for an additional 15 minutes. Hot fluid product: Cool burns with plenty of low-pressure water and get immediate medical attention.

Skin Exposure:

Immediately wipe excess material off skin with a dry cloth then wash with plenty of soap and water for at least 5 minutes. Seek medical attention if irritation develops or persists. Remove contaminated clothing and shoes and clean thoroughly before re-use. Hot Fluid: Immediately cool skin with water and cold packs for at least 15 minutes. Do not put ice directly on skin. Do not attempt to remove solidified wax from the skin as severe tissue damage may result. Get immediate medical attention.

Inhalation:

Remove from immediate source of exposure and assure that victim is breathing. If not breathing, administer cardio-pulmonary resuscitation (CPR). If breathing is difficult, administer oxygen if available. Seek medical attention.

Ingestion:

If swallowed, do not induce vomiting. If victim is conscious and alert, give 1-2 glasses of water to drink. Do not give anything by mouth to an unconscious person. Seek medical attention immediately. Do not leave victim unattended. To prevent aspiration of swallowed product, lay victim on side with head lower than waist. Vomiting may occur spontaneously. If vomiting occurs and the victim is conscious, give water to further dilute the chemical.

Medical Conditions Possibly Aggravated by Exposure:

Inhalation of product may aggravate existing chromic respiratory problems such as asthma, emphysema or bronchitis. Skin contact may aggravate existing skin disease.

5. FIRE FIGHTING MEASURES

Flash Point: Flammable Limits:	> 263 °C (505 °F) Not determined.
Extinguishing Media:	Use dry chemical, foam, or carbon dioxide to extinguish flames.
Special Fire Fighting Procedures:	Firefighters should wear NIOSH/MSHA approved positive pressure breathing apparatus with full face- piece and full chemical resistant protective clothing. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later.
Unusual Fire and Explosion Hazards	s: None

Unusual Fire and Explosion Hazards: Non

6. ACCIDENTAL RELEASE MEASURES

Personal Protection:	Wear chemical goggles, body-covering protective clothing, chemical resistant gloves, and rubber
Spill Cleanup:	boots. Use NIOSH approved respirator where mist occurs. Avoid breathing dust. Use vacuuming or sweeping compound for cleanup. Do not dry sweep or use methods that increase dusting. Prevent entry into sewers and waterways. Flush area with water to complete cleanup.

7. HANDLING AND STORAGE

Handling:	Avoid contact with eyes, skin and clothing. Avoid breathing dust and vapors generated when melted. Keep container closed. Promptly clean residue from closures with cloth dampened with water.
Storage:	Promptly clean up spills. Store in an area that is cool, dry, and well ventilated. Water contamination should be avoided. Store in clean plastic or steel containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Chemical Name	CAS No.	EC No.	TLV (mg/m ³)	PEL (mg/m ³)
Phthalic Anhydride	85-44-9	201-607-5	1 ppm	1 ppm
Ethylene Glycol	107-21-1	203-473-3	50 ppm	50 ppm
Engineering Controls:		dequate ventilation. Keep rect access.	containers closed. Safety sho	ower and eyewash fountain should
Respiratory Protection:	appropriate exposure li	e personal protection equi mits are exceeded and lo	ment and local ventilation cor	f vapor, mist or dust is generated, htrols must be employed. If supplied-air respirator or a self-
Skin Protection: Eye Protection:	5	-covering protective clothi nical goggles.	ng and gloves.	

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Solid
Color:	Transparent Amber
Odor:	No Odor at Room Temperature; Resin Odor Upon Heating
Specific Gravity, g/cc	1.31
Water Solubility:	Insoluble
Softening Point:	110-120 °F
Melting Point:	155-165 °F
Vapor Pressure:	Nil
Vapor Density (air=1):	>1

10. STABILITY AND REACTIVITY

Chemical Stability:	This material is stable under all conditions of use and storage.
Conditions to Avoid:	Excessive heat, sparks, open flames.
Materials to Avoid:	None.
Hazardous Decomposition Products:	Carbon monoxide, carbon dioxide.
Hazardous Polymerization:	Will not occur.

11. TOXICOLOGICAL INFORMATION

Toxicity:	No LC50 data available for this product.
Carcinogenicity:	NTP, IARC or OSHA does not list the components of this product as carcinogenic.
Irritancy:	None known.
Sensitization:	This product has a component that is known to cause human skin or respiratory sensitization.
Mutagenicity:	The components of this product are not reported to produce mutagenic effects in humans.
Embryo Toxicity:	The components of this product are not reported to produce embryo toxic effects in humans.
Teratogenicity:	The components of this product are not reported to produce teratogenic effects in humans.
Reproductive Toxicity:	The components of this product are not reported to produce reproductive effects in humans.

12. ECOLOGICAL INFORMATION

Aquatic Toxicity:	Not determined.
Mobility in Soil:	Not determined.
Persistence / Degradability:	Not determined.
Environmental Stability:	Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways.
Bioaccumulation / Accumulation:	Not determined.

13. DISPOSAL CONSIDERATIONS

Disposal Method:

Dispose in accordance with federal, state and local regulations and permits.

14. TRANSPORTATION INFORMATION

DOT / IATA UN Status:

The material is not a regulated hazardous material for transportation.

TSCA:	All ingredients of this material are listed on the TSCA inventory.		
CERCLA:	No CERCLA reportable quantity has been established for this material.		
SARA Title III			
Sections 302, 304, 313:	This product does not contain any substances reportable under these sections.		
Sections 311, 312:			
Hazard Classes	Yes/No		
Fire Hazard	No		
Reactivity Hazard	Νο		
Pressure Hazard	No		
Immediate Hazard	No		
Delayed Hazard	No		
International Inventory	Status		
Canada (DSL)	Yes		
Europe (EINECS/ELINCS)	Yes		
Australia (AICS)	Yes		
Japan (MÌTI)	Yes		
South Korea (KECL)	Yes		
CA Proposition 65:	Chemicals known to cause cancer:		
CA Proposition 65:	None of the ingredients is listed.		
	Chemicals known to cause reproductive toxicity for females:		
	None of the ingredients is listed.		
	Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed.		
	Chemicals known to cause developmental toxicity: None of the ingredients is listed.		
16. OTHER INFORMATION	l		
NFPA Ratings (scale 0 – 4)	Health, 1		

NFPA Ratings (scale 0 – 4)	Health, 1 Flammability, 1 Reactivity, 0 Personal Protection, H	
HMIS Ratings (scale 0 – 4)	Health, 1 Flammability, 1 Reactivity, 0 Personal Protection, H	H 1 F 1 F Additional 1 R 0 FREE ONAL FREE ONAL

Key Legend Information

American Conference of Governmental Industrial Hygienists International Agency for Research on Cancer Chemical Abstract Service Comprehensive Environmental Response, Compensation & Liability Act Domestic Substance List Hazardous Materials Identification System Not Determined Not Established National Fire Protection Association National Institute for Occupational Safety & Health National Toxicology Program Occupational Safety and Health Administration Permissable Exposure Limit Registry of Toxic Effects of Chemical Substances Superfund Amendments & Reauthorization Act Emergency Planning & Community Right to Know Act Extremely Hazardous Substances Emergency Release MSDS/List of Chemicals & Hazardous Inventory Emergency & Hazardous Inventory Toxic Chemicals & Release Reporting Short Term Exposure Limit Thresbold Limit Value
Short Term Exposure Limit Threshold Limit Value Time Weighted Average

Disclaimer: The information contained herein is based on data taken from sources believed to be both current and reliable at the time of publication. Aremco Products, Inc. makes no warranty, expressed or implied, as to the accuracy of this MSDS and assumes no liability arising from its use by others. Compliance with all applicable Federal, State and Local laws and regulations remains the responsibility of the user.