

Revision Date 16-Jul-2024

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200)

Version 10

# **1. IDENTIFICATION**

Product identifier Product Name

84201 5 MINUTE EPOXY (RESIN)

Other means of identification Product Code 202002E

Recommended use of the chemical and restrictions on useRecommended UseEpoxy resinUses advised againstNo information available

Details of the supplier of the safety data sheet

Manufacturer Address ITW Permatex, Inc. 6875 Parkland Blvd. Solon, Ohio 44139 USA Telephone: 1-87-Permatex (866) 732-9502 May Also Be Distributed by: **ITW Permatex Canada** 101-2360 Bristol Circle Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994 **Company Phone Number** 866-732-9502 24-hour emergency phone number Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585 Contract Number: MIS0003453

E-mail address: mail@permatex.com

# 2. HAZARDS IDENTIFICATION

Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1

#### Label elements

**Emergency Overview** 

<u>Signal word</u> Warning		
Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction		
Appearance Clear	Physical state Paste / Gel	<b>Odor</b> Slight

# **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace Wear protective clothing, gloves, and eye protection or face shield

#### **Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed Store locked up

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC) Not applicable

# **Other Information**

Not applicable.

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical name	CAS No.	Weight-%
BIS[4-(2,3-EPOXYPROPOXY)PHENY	1675-54-3	100
L]PROPANE		

# 4. FIRST AID MEASURES

#### Description of first aid measures

General advice	Get medical advice/attention if you feel unwell.	
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
Skin contact	IF ON SKIN:. Wash with soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.	
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.	
Ingestion	IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.	
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.	
Most important symptoms and effects, both acute and delayed		
Symptoms	May cause allergic skin reaction.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	
5. FIRE-FIGHTING MEASURES		
<u>Suitable extinguishing media</u> Carbon dioxide (CO2), Use dry chemical, Foam		
Small Fire	In case of fire, use water spray, foam, dry chemical, or CO2.	

Large Fire In case of fire, use water spray, foam, dry chemical, or CO2.

# Unsuitable extinguishing media

None

# Specific hazards arising from the chemical

None in particular.

Hazardous combustion products No information available.

# Explosion data

Sensitivity to Mechanical ImpactNone.Sensitivity to Static DischargeNone.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin. Use personal protective equipment as required.
For emergency responders	Use personal protection recommended in Section 8.

Environmental precautions			
Environmental precautions	See section 12 for additional ecological information.		
Methods and material for containm	ent and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.		
	7. HANDLING AND STORAGE		
Precautions for safe handling			
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required.		
Conditions for safe storage, includ	ing any incompatibilities		
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.		
Packaging materials	No information available.		
Incompatible materials	Strong oxidizing agents, Acids, Bases, Amines		
8. EX	POSURE CONTROLS/PERSONAL PROTECTION		
Control parameters			
Appropriate engineering controls			
Engineering Controls	Showers Eyewash stations Ventilation systems		

# Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).	
Skin and body protection	Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.	
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.	
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.	

# 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties			
Physical state	Paste / Gel		
Appearance	Clear		
Odor	Slight		

Color Odor threshold

#### Property pН Melting point / freezing point Boiling point / boiling range Flash point **Evaporation rate** Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density **Relative density** Water solubility Solubility(ies) **Partition coefficient** Autoignition temperature Hyphen **Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties**

Other information Softening point Molecular weight Density Bulk density SADT (self-accelerating decomposition temperature) Clear No information available

#### <u>Values</u> No information available No information available > 260 °C / > 500 °F 252 °C / 485.6 °F No information available No information available

No information available No information available 0.03 mbar @ 77°C (171°F) >1 1.16 Insoluble in water No information available 3.242 No information available No information available No information available 11,000-14,000 mPa.s @ 25°C No information available No information available

No information available No information available No information available No information available No information available Remarks • Method

Pensky-Martens Closed Cup (PMCC)

Air = 1

# **10. STABILITY AND REACTIVITY**

#### Reactivity

No information available

# Chemical stability

Stable under normal conditions

#### Possibility of hazardous reactions None under normal processing.

#### Hazardous polymerization

No information available.

#### Conditions to avoid Excessive heat.

Incompatible materials Strong oxidizing agents, Acids, Bases, Amines

#### Hazardous decomposition products Carbon oxides

# **11. TOXICOLOGICAL INFORMATION**

Inhalation	May cause irritation of respiratory tract.
Eye contact	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.
Skin contact	May cause skin irritation and/or dermatitis. May cause sensitization by skin contact.
Ingestion	Ingestion may cause irritation to mucous membranes.

# Information on likely routes of exposure

# Chemical name Oral LD50 Dermal LD50 Inhalation LC50 BIS[4-(2,3-EPOXYPROPOXY)PHE = 11300 µL/kg (Rat) = 20000 mg/kg (Rabbit) NYL]PROPANE 1675-54-3

#### Symptoms related to the physical, chemical and toxicological characteristics

#### Symptoms

No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Irritating to sk	kin.		
Serious eye damage/eye	irritation Causes serio	us eye irritation.		
Sensitization	Repeated or	prolonged contact may c	ause allergic reactions in ve	ry susceptible persons.
Germ cell mutagenicity	No informatio	on available.		
Carcinogenicity	The table bel	ow indicates whether eac	ch agency has listed any ing	redient as a carcinogen.
Chemical name	ACGIH	IARC	NTP	OSHA
BIS[4-(2,3-EPOXYPROPOX Y)PHENYL]PROPANE	-	Group 3	-	-
1675-54-3				
Legend				

IARC (International Agency for Research on Cancer) Group 3 - Not classifiable as a human carcinogen

agenieity

Teratogenicity Neurological effects No information available. No information available.

#### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix	(oral)
ATEmix	(dermal)

11266 mg/kg 20000 mg/kg

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

#### Mobility

No information available.

Chemical name	Partition coefficient
BIS[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE	2.33
1675-54-3	

# Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	Not applicable

# **14. TRANSPORT INFORMATION**

DOT Proper shipping name	Not regulated
IATA Proper shipping name	Not regulated
IMDG Proper shipping name	Not regulated

International Inventories	<u> </u>	
TSCA	Complies	
DSL/NDSL	Complies	
EINECS/ELINCS	Complies	
ENCS	Complies	
IECSC	Complies	
KECI	Complies	
PICCS	Complies	
AICS	Complies	

Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	No

Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals: U.S. State Right-to-Know Regulations U.S. EPA Label Information EPA Pesticide Registration Number Not applicable

#### WHMIS Hazard Class

D2B - Toxic materials

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	Health hazards 2	Flammability 1	Instability 0	-
HMIS	Health hazards 2	Flammability 1	Physical hazards 0	Personal protection B

Revision Date

16-Jul-2024

#### **Disclaimer**

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However,Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of theinformation. User is responsible for evaluating whether such information or this product is fit for a particular purposeand suitable for a particular use or application. The information in this data sheet may not be valid if this product is usedin combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims anyliability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of thisproduct. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.

End of Safety Data Sheet